

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	146	(regist\$6 with sip)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:13
L2	137	1 and (group\$3 or names or membership\$3 or users)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:16
L3	1010	regist\$6 with ((call with initiat\$3) or sip)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:15
L4	147	regist\$6 with ((call near4 initiat\$3 near4 protocol) or sip)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:32
L5	138	4 and (group\$3 or names or membership\$3 or users)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:32
L6	139	4 and (group\$3 or names or member\$8 or users)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:39
L7	125	6 and (alias or locat\$3 or contact\$3)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:39
L8	105	(registrar or regist\$6) near4 ((call near4 initiat\$3 near4 protocol) or sip)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:33
L9	148	(registrar or regist\$6 or (set adj2 up)) near4 ((initiat\$3 near4 protocol) or sip)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:42
L10	29	4 and group\$3 with (names or member\$8 or user\$3)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:43
L11	28	10 and (alias or locat\$3 or contact\$3)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:44
L12	2597	(registrar or regist\$6 or (set adj2 up) or initiat\$3) near4 ((initiat\$3 near4 protocol) or sip)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:43
L13	334	(registrar or regist\$6 or (set adj2 up) or initiat\$3) near4 sip	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:43
L14	58	13 and group\$3 with (names or member\$8 or user\$3)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:52
L15	55	14 and (alias or locat\$3 or contact\$3)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:52

L16	61	13 and group\$3 with (names or member\$8 or user\$3 or domain)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:52
L17	60	16 and (alias or locat\$3 or contact\$3 or domain)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 13:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2077	((session near4 initiation near4 protocol) or (call near4 initiation near4 protocol))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:20
L2	2046	(session near4 initiation near4 protocol)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:20
L3	652	2 and ((set\$4 near2 up) or initiat\$3) same (registrar or regist\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:22
L4	393	2 and ((set\$4 near2 up) or initiat\$3) with (registrar or regist\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:22
L5	48	2 and ((set\$4 near2 up) or initiat\$3) same (registrar or regist\$6) same (group\$3 with (names or member\$6 or user\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:26
L6	116	2 and ((set\$4 near2 up) or initiat\$3) and (registrar or regist\$6) same (group\$3 with (names or member\$6 or user\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:39
L7	19	6 and database with contact\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:30
L8	85	6 and database	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:30
L9	70	6 and database with (user\$2 or member\$6 or names)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:37
L10	46	6 and (list or table or database) with (location or contact\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:42
L11	135	2 and ((set\$4 near2 up) or initiat\$3) and (registrar or regist\$6) same (group\$3 with (subscribers or names or member\$6 or user\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:42

L12	279	2 and ((set\$4 near2 up) or initiat\$3) and (registrar or regist\$6) same ((group\$3 or list\$3 or unit) with (subscribers or names or member\$6 or user\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:43
L13	123	12 and (list or table or database) with (locat\$3 or contact\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:43
L14	120	2 and ((set\$4 near2 up) or initiat\$3) same (registrar or regist\$6) same ((group\$3 or list\$3 or unit) with (subscribers or names or member\$6 or user\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:48
L15	40	14 and (list or table or database) with (locat\$3 or contact\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:49
L16	1	14 and (list or table or database) with alias	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:48
L17	6	14 and alias	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:48
L18	279	2 and (registrar or regist\$6) same ((group\$3 or list\$3 or unit) with (subscribers or names or member\$6 or user\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:50
L19	125	18 and (list or table or database) with (alias or locat\$3 or contact\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:49
L20	91	18 and database with (alias or locat\$3 or contact\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:50
L21	199	2 and (registrar or regist\$6) with ((group\$3 or list\$3 or unit) with (subscribers or names or member\$6 or user\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:57
L22	58	21 and database with (alias or locat\$3 or contact\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:57
L23	118	sip with (register or registrar)	USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:56

L24	58	23 and ((group\$3 or list\$3 or unit) with (subscribers or names or member\$6 or user\$2))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 17:57
L25	36	24 and (list or table or database) with (alias or locat\$3 or contact\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/23 18:24
L28	16	1 and 25	USPAT	OR	OFF	2005/03/23 18:25
L29	16	2 and 25	USPAT	OR	OFF	2005/03/23 18:26